

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	23	Kosmowski-Wojciech-b.in.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
2	BRS	L2	7	Kosmowski-Wojciech.in.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
3	BRS	L3	30	2 or 1	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
1	2007/02/02 17:33			
2	2007/02/02 17:33			
3	2007/02/02 17:36			

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	1	(drill\$3 and spindle and guiding and lightweight and crossbeam and laminat\$3 and hollow).clm.	US-PGPUB; USPAT
6	BRS	L6	1	(drill\$3 and spindle and (pressure adj foot) and sensor and clamp and (low adj impact)).clm.	US-PGPUB; USPAT
7	BRS	L7	1	(drill\$3 and (pressure adj foot) and (low adj mass) and clamp and (low adj impact)).clm.	US-PGPUB; USPAT
8	BRS	L8	1	(drill\$3 and (pressure adj foot) and valve and bladder and clamp).clm.	US-PGPUB; USPAT
9	BRS	L9	1	(drill\$3 and spindle and (pressure adj foot) and actuator and clamp and distance).clm.	US-PGPUB; USPAT
10	BRS	L10	1	(drill\$3 and spindle and guiding and lightweight and crossbeam and laminat\$3).clm.	US-PGPUB; USPAT

	Time Stamp	Comments	Error Definition	Errors
5	2007/02/02 17:44			
6	2007/02/02 17:41			
7	2007/02/02 17:42			
8	2007/02/02 17:42			
9	2007/02/02 17:43			
10	2007/02/02 17:44			